

Page: 1 of 7

This version issued: July 2025

Section 1 - Identification

Chemical nature: Cleaning product.

Trade Name: LIFT IT CITRUS CLEAN

Product Use: 265

Creation Date: June 2025 and is valid for 5 years from this date.

This version issued: July, 2025

Supplier: Euca Products

Street Address: 4 – 8 Malton Court Altona, 3018

Telephone Number: (03) 9398 4444

Emergency Telephone: Ted Powell (03) 9398 4444 (Business Hours)

0425 800 022 (After Hours)

Poisons Information Centre: Phone 13 1126 from anywhere in Australia

Section 2 - Hazards Identification

Statement of Hazardous Nature

SUSMP Classification: None allocated.

ADG Classification: Classified as Dangerous Goods Class 3 by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on

Land".

UN Number: 1993

GHS Signal word: DANGER



Hazard Classifications

Flammable Liquid – Category 2 Skin corrosion/ irritation – category 2 Sensitisation (Skin) – category 1 Serious eye damage/eye irritation – Category 2 Acute Hazard to the aquatic environment – Category 1

Hazard Statements

H225 - Highly Flammable liquid and vapour.

H315 – Causes skin irritation

H317 – May cause an allergic skin reaction

H319 – Causes serious eye irritation

H410 – Very toxic to aquatic life with long lasting effects.

Precautionary Statement(s):

Prevention:

P102 Keep out of reach of children.

P103 Read label before use.

P104 Read Safety Data Sheet before use.

P210 – Keep away from ignition sources – No smoking.

P233 – Keep container tightly closed.

SAFETY DATA SHEET



Page: 2 of 7

This version issued: July 2025

P240 - Ground/Bond container and receiving equipment

P241 – use explosion – proof equipment when handling this product.

P242 – Use only non-sparking tool.

P243 – Take precautionary measures against static discharge.

P280 - Wear protective gloves/eye protection/ face protection.

P202 - Do not handle until all safety precautions have been read and understood.

P281- Use personal protective equipment as required.

P260 – Do not breathe gas/fumes/ mist/vapour/spray.

P264 - Wash hands thoroughly after handling

P271 – Use only outdoors or in well-ventilated area.

Response:

P301 + P361 +P353 – IF ON SKIN (or hair): remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370 + P378 – In case of fire use alcohol resistant foam, Dry Chemical, CO₂ or water fog.

P308 + P313 – If exposed or concerned: Get medical advice/attention

P301 + P310 – IF SWALLOWED: Immediately call a POISON CENTER 131126 or doctor/physician.

P331 – Do NOT induce vomiting.

P263 – wash contaminated clothing before reuse

P304 + P340 - IF INHALED: remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 – IF IN EYES: Rise cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER 131126 or doctor/physician if you feel unwell.

Storage:

P405 – Store in a well-ventilated place. Keep cool.

Disposal:

P501: Dispose of contents/container in accordance with local waste management authority

Poison Schedule: None assigned

Emergency Overview

Physical Description & Colour: Thin clear liquid;

Odour: Citrus fragrance

Section 3 – Composition and Information on Ingredients				
Ingredients	CAS No	Conc, %	TWA (mg/m³)	STEL (mg/m ³)
Ethanol	64-17-5	<= 60%	1880	not set
D-Limonene	5989-27-5	30 – 60%	not set	not set
Other non-hazardous ingredients	secret	to 100	not set	not set.

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other nonhazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

SAFETY DATA SHEET

Issued by: Euca Products Phone: +613 9398 4444

Poisons Information Centre: 13 1126 from anywhere in Australia, (0800 764 766 in New Zealand)



Page: 3 of 7

This version issued: July 2025

Skin Contact: Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting. Wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: Highly flammable liquid and vapour. The major hazard in fires is usually inhalation of heated and toxic or oxygen deficient (or both), fire gases. There is a moderate risk of an explosion from this product if commercial quantities are involved in a fire. Firefighters should take care and appropriate precautions. Any explosion will likely spread the fire to surrounding materials. Water spray may be used to cool packages involved in a fire, reducing the chances of an explosion.

Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.

Extinguishing Media: In case of fire, use carbon dioxide, dry chemical, foam. Alcohol resistant foam is the preferred firefighting medium but, if it is not available, normal foam can be used. Try to contain spills, minimise spillage entering drains or water courses.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade. There is a danger of a violent reaction or explosion if significant quantities of this product are involved in a fire. Recommended personal protective equipment is full fire kit and breathing apparatus.

Section 6 - Accidental Release Measures

Accidental release: This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

Section 7 - Handling and Storage

Handling: Use in well-ventilated areas away from ignition sources. Only use equipment that is intrinsically safe for use with flammable liquids and vapours. Keep containers closed when not in use. Avoid contact with eyes and skin.

Storage: Store in a cool, well-ventilated area away from heat and ignition sources. Store away from strong oxidising agents. Containers must always be kept closed in storage and properly labelled.

Section 8 - Exposure Controls and Personal Protection

The following Australian Standards will provide general advice regarding safety clothing and equipment: Respiratory equipment: **AS/NZS 1715**, Protective Gloves: **AS 2161**, Occupational Protective Clothing: AS/NZS 4501 set 2008, Industrial Eye Protection: **AS1336** and **AS/NZS 1337**, Occupational Protective Footwear: **AS/NZS2210**.

SWA Exposure Limits ETHANOL

TWA (mg/m³) 1880 STEL (mg/m³) NOT SET

SAFETY DATA SHEET



Page: 4 of 7

This version issued: July 2025

No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: Use in a well-ventilated area. Provide sufficient ventilation to control exposure levels below the exposure standards. Use local exhaust ventilation at sources of air contamination such as open process equipment. Keep away from sources of ignition. Take precautionary measures against static discharges. Dangerous concentrations may exist in areas with poor ventilation such as confined spaces. Protect against accidental release to waterways and drains.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when this product is being used.

Skin Protection: The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when lengthy skin contact is likely.

Protective Material Types: There is no specific recommendation for any particular protective material type.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Australian Standard mentioned above.

Section 9 - Physical and Chemical Properties:

Physical Description & colour: Clear colourless liquid **Odour:** Citrus Fragrance

Freezing/Melting Point: No data
Boiling Point: Not available

Flash point: 15°C
Upper Flammability Limit: No data
Lower Flammability Limit: No data
Autoignition temperature: Not available

Flammability Class: Flammable Category 2 (GHS): Highly Flammable

Volatiles: Not available Vapour Pressure: No data Vapour Density: No data

Specific Gravity: 0.82 – 0.85 at 20°C

Water Solubility: Soluble

pH: Not applicable
 Volatility: No data.
 Odour Threshold: No data.
 Evaporation Rate: As for water.
 Coeff Oil/water Distribution: No data

Particle Characteristics: Not applicable for liquids.

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf-life properties.

Conditions to Avoid: Keep containers tightly closed. Keep away from heat, flames and sparks. Keep away from sources of sparks or ignition. Handle and open containers carefully. Any electrical equipment in the area of this product should be flame proofed.

Incompatibilities: oxidising agents.

SAFETY DATA SHEET



Page: 5 of 7

This version issued: July 2025

Fire Decomposition: Combustion forms carbon dioxide, and if incomplete, carbon monoxide and possibly smoke. Water is also formed. Carbon monoxide poisoning produces headache, weakness, nausea, dizziness, confusion, dimness of vision, disturbance of judgment, and unconsciousness followed by coma and death.

Polymerisation: Polymerisation reactions are unlikely. They are not expected to occur.

Section 11 - Toxicological Information

Local Effects:

Target Organs: This product may affect the gastrointestinal system, eyes, skin. Ingredients in this product have an established TWA, so exposure by inhalation should be avoided.

Major Health Hazards: may cause an allergic skin reaction, causes skin irritation, causes serious eye irritation.

Classification of Hazardous Ingredients

Ingredient Health Hazard Statement Codes

Ethanol H225, H319

D-Limonene H226, H315, H317, H304, H410

Limonene and its oxidation products are skin and respiratory irritants, and limonene-1,2-oxide (formed by aerial oxidation) is a known skin sensitizer. Most reported cases of irritation have involved long-term industrial exposure to the pure compound, e.g., during degreasing or the preparation of paints. However, a study of patients presenting dermatitis showed that 3% were sensitized to limonene.

Potential Health Effects

Acute Health Effects:

Ingested: Significant oral exposure is considered to be unlikely. This product, while believed to be not harmful, is likely to cause headache and gastric disturbance such as nausea and vomiting if ingested in significant quantities. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Eye: This product is a severe eye irritant. Symptoms may include stinging and reddening of eyes and watering which may become copious. Other symptoms such as swelling of eyelids and blurred vision may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure or delayed treatment is likely to cause permanent damage.

Skin: Classified as a potential sensitiser by skin contact. Exposure to a skin sensitiser, once sensitisation has occurred, may manifest itself as skin rash or inflammation, and in some individuals this reaction can be severe. In addition, product is a skin irritant. Symptoms may include itchiness and reddening of contacted skin. Other symptoms may also become evident, but all should disappear once exposure has ceased.

Inhaled: Available data indicates that this product is not harmful. In addition, product is unlikely to cause any discomfort or irritation.

Chronic: Repeated or prolonged exposure can cause drying and defatting of skin and lead to dermatitis.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.



Page: 6 of 7

This version issued: July 2025

Section 12 - Ecological Information

This product is very toxic to aquatic life with long lasting effects. This product is not readily biodegradable; it may accumulate in the soil or water and cause long term problems.

Section 13 - Disposal Considerations

Disposal: Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

Section 14 - Transport Information

ROAD AND RAIL TRANSPORT

Classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".



UN No: 1993
Dangerous Goods Class: 3
Packing Group: |||
Hazchem Code: •3YE

Proper Shipping Name: FLAMMABLE LIQUID, N.O.S

Section 15 - Regulatory Information

Classified as hazardous according to criteria of the Globally Harmonised System of Classification and Labelling of Chemicals 7th Revised Edition.

HAZARDOUS SUBSTANCE, DANGEROUS GOODS.

GHS Signal word: DANGER



Hazard Classifications

Flammable Liquid – Category 2 Skin corrosion/ irritation – category 2 Sensitisation (Skin) – category 1 Serious eye damage/eye irritation – Category 2 Acute Hazard to the aquatic environment – Category 1

Hazard Statements

H225 - Highly Flammable liquid and vapour.

H315 – Causes skin irritation

H317 – May cause an allergic skin reaction

H319 - Causes serious eye irritation

H410 – Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



Page: 7 of 7

This version issued: July 2025

Poisons Schedule: None assigned.

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition)

AICS/AIIC Australian Inventory of Industrial Chemicals
SWA Safe Work Australia, formerly ASCC and NOHSC
CAS number Chemical Abstracts Service Registry Number

Hazchem Code Emergency action code of numbers and letters that provide information to emergency

services especially firefighters

IARC International Agency for Research on Cancer

NOS Not otherwise specified

NTP National Toxicology Program (USA)

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

UN Number United Nations Number

THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "Preparation of Safety Data Sheets for Hazardous Chemicals - Code of Practice" (July 2020) and GHS Revision 7